

## Pest Control for Late June to Early July

The following are the types of plants to inspect, the pest is what kind of pest you will see in your landscape, and the action is what to do when inspecting your landscape.

Plant	Pest	Action
Andromeda		<b>Andromeda Lacebug (2nd gen.)</b> Inspect underside of new growth for nymphs. Treat with <a href="#">Bonide Eight</a> if needed.
Azalea		<b>Azalea Bark Scale</b> Inspect twig crotches for white, waxy females, pinkish eggs and crawlers. Treat with <a href="#">Bonide Malathion</a> if needed.
Birch		<b>Aphids</b> Check for natural enemies before making treatment decision. If there are no natural enemies use <a href="#">Sevin</a> .
Crabapple		<b>Eastern Tent Caterpillar</b> Examine branch tips for shiny black egg masses and remove.
		<b>Green Peach Aphids</b> Check for natural enemies before making treatment decision. If there are no natural enemies use <a href="#">Bonide Eight</a> .

**Dogwood**



**Dogwood Borer** Inspect trunk and large branches for holes and fresh sawdust. Destroy by hand or treat with [nematodes](#).

**Evergreens**



**Cottony Taxus Scale** Look for white crawlers on underside of leaves or needles. Treat with [Espoma Earth Tone Insect Control](#) if needed.

**Hardwoods**



**Cottony Maple Leaf Scale** Look for white crawlers on underside of leaves. Treat with [Espoma Earth Tone Insect Control](#) if needed.



**Japanese Beetle** Examine leaves for adults and skeletonizing. Treat with [Bonide Malathion](#) or [Eight](#) if needed.

**Holly**



**Cottony Camellia Scale** Inspect foliage and stems for large, white, waxy scales

**Honeylocust**



**Honeylocust Mite** Shake branch over white surface. Look for reddish-brown mites and treat with [Monterey Garden Insect Spray](#) if needed.

**Oak**



**Oak Sawflies**

Examine leaves for green, slug-like, larvae. Treat with [Bonide Capt. Jack's Dead Bug](#) if needed.

**Pine**



**Red-headed Pine Sawfly**

Examine needles for clusters of yellow larvae. Pick off or treat with [Bonide Capt. Jack's Dead Bug](#) if needed.

**Pine (Soft)**



**Introduced Pine Sawfly**

Inspect needles for grey-green larvae. Pick off or treat with [Monterey Garden Insect Spray](#) if needed.

**Rhododendron**



**Rhododendron Borer**

Inspect large lower branches for holes and fresh sawdust. Destroy by hand or treat with [nematodes](#).

**Yew**



**Black Vine Weevil**

Check burlap traps for adult weevils. Treat with [Bayer Tree & Shrub Insect Control](#) if needed two weeks after first captures.

*Information provided by Robert Childs and UMass Extension at UMass Amherst.*