

## Pest Control for Mid to Late July

The following are the types of plants to inspect, the pest is what kind of pest you will see in your landscape, and the action is what to do when inspecting your landscape.

Plant	Pest	Action
Andromeda		<b>Andromeda Lacebug</b> Inspect underside of new growth for nymphs. Treat with <a href="#">Bonide Eight</a> if needed.
Azalea		<b>Azalea Bark Scale</b> Inspect twig crotches for white, waxy females, pinkish eggs and crawlers. Treat with <a href="#">All Season's Spray Oil</a> if needed.
Birch		<b>Bronze Birch Borer</b> Inspect for fresh D-shaped emergence holes and overall health. Treat trunk and branches with <a href="#">Bonide Borer-Miner Killer</a> if needed.
Cherry		<b>Cherry Scallop Shell Moth</b> Inspect foliage for silken nests and yellowish caterpillars. Prune out or treat with <a href="#">Thuricide</a> .
Crabapple		<b>Eastern Tent Caterpillar</b> Examine branch tips for shiny black egg masses and remove.



**Green Peach Aphids**

Check for natural enemies before making treatment decision. If there are no natural enemies use [Sevin](#).

**Dogwood**



**Dogwood Borer**

Inspect trunk and large branches for holes and fresh sawdust. Destroy by hand or treat with [nematodes](#).

**Euonymus**



**Glover Scale**

Look for white crawlers on underside of leaves. Treat with [Espoma Earth Tone Insect Control](#) if needed.

**Hardwoods**



**European Fruit Lecanium**

Look for white crawlers on underside of leaves. Treat with [All Season's Spray Oil](#) if needed.



**Fall Webworm**

Check tip leaves for eggs and larvae. Prune or treat with [Thuricide](#) or [Bonide Capt. Jack's Dead Bug](#).




**Japanese Beetle**

Examine leaves for adults and skeletonizing. Treat with [Bonide Eight](#) if needed.



**Lacebug  
(Sycamore etc.)**

Inspect under leaves for brown droppings, black eggs, and lacebugs. Treat with [All Season's Spray Oil](#) if needed.



**Two-Spotted Spider Mite**

Strike branch on white surface. Check for white mites.

**Hemlock**



**Hemlock Scale**

Look for white crawlers on underside of needles. Treat with [Espoma Earth Tone Insect Control](#) if needed.

**Honeylocust**



**Honeylocust Mite**

Shake branch over white surface. Look for reddish-brown mites and treat with [Monterey Garden Insect Spray](#) if needed.



**Mimosa Webworm**

Small, gray-brown larvae webbing leaflets near tips. Prune out or treat with [Thuricide](#) or [Monterey Garden Insect Spray](#).

**Juniper**



**Juniper Webworm**

Inspect interior foliage for early mines and silken tubes. Treat with [Thuricide](#) or [Bonide Capt. Jack's Dead Bug](#).

Lilac



**Lilac Leafminer**

Inspect underside of leaves for eggs and early mines. Treat with [Bonide Systemic Insect Control](#).

Linden  
Tulip Poplar



**Aphids**

Check foliage for nymphs, honeydew, and natural enemies before making treatment decision. If there are no enemies use [Sevin](#).

Pine



**Pine Needle Scale**

Look for reddish-orange crawlers on needles. Treat with [All Season's Spray Oil](#) if needed.



**Red-headed Pine Sawfly** Examine needles for clusters of yellow larvae. Pick off or treat with [Bonide Capt. Jack's Dead Bug](#) if needed.

Rhododendron



**Rhododendron Borer**

Inspect large lower branches for holes and fresh sawdust. Destroy by hand or treat with [nematodes](#).



**Sharpshooter Leafhopper**

Check new growth for large, green and orange leafhoppers. Treat with [Bonide Eight](#) if needed.

**Tupelo**



**Tupelo Leafminer**

Inspect leaves for eggs and early mines. Treat with [Bayer Tree & Shrub Insect Control](#) if needed.

**Yew**



**Black Vine Weevil**

Check burlap traps for adult weevils. Treat with Bayer Tree & Shrub Insect Control if needed two weeks after first captures or when numbers level off.



**Fletcher Scale**

Look for white crawlers on underside of needles. Treat with [Espoma Earth Tone Insect Control](#) if needed.

*Information provided by Robert Childs and UMass Extension at UMass Amherst.*